



Presented by Bob Stevenson BVMS CertPM MRCVS
 Pig Vet





### **Disease Prevention**

#### Infections not present in your pigs

- New
- Exotic, may be notifiable
- Often major effects on pigs and performance
- Epidemic-type disease
- BIOSECURITY (keep infections out)

#### Infections already existing

- What is your unit profile?
- Refer to your pig health plan
- BIOCONTAINMENT (control infections on the unit)





## Maximising performance



- Disease cost calculators
  - Enzootic pneumonia
  - Abortion
  - Rhinitis
  - Poor fertility
  - Other diseases, worms and mange

Performance indic	ators for indo	or and outdoor b	preeding herds
12 months ending M	1arch 2018		

	Indoor		Outdoor	
Pigs weaned/sow/year	27.4	<b>1</b>	23.9	Ψ
Litters/sow/year	2.30	_	2.27	Ψ
Pigs born alive/litter	13.5	1	12.1	$\Phi$
Pre-weaning mortality %	11.7	Ψ	13.2	lack
Pigs weaned/litter	11.9	1	10.5	$\uparrow$
Sow feed/sow/year (kg)	1254	Ψ	1489	<b>1</b>
Sow feed/pig weaned (kg)	45.8	Ψ	62.4	<b>1</b>

Source: Agrosoft, Arrows indicate change compared to overall 2017 average



# EXOTIC Notifiable African Swine Fever



- Much feared by pig industry as the major threat
- Imported human food
- Kitchen scraps
- Legally and illegally imported meat
- Public right of way
- Nearby wild boar











www.llyw.cymru/cyswlltffermio www.gov.wales/farmingconnect

## Notifiable diseases in pigs

FARMING connect cyswllt FFERMIO	

Foot and Mouth Disease (FMD)	2007
Classical Swine Fever (CSF)	2000
African Swine Fever (ASF)	Never
Swine Vesicular Disease (SVD)	1982
Aujeszky's Disease (AD or Pseudorabies)	1989
Porcine Epidemic Diarrhoea (PED)	Early 1990's
Vesicular Stomatitis	Never
Teschen Disease	Never
Bovine TB	Current
Anthrax	2006




### Forest of Dean



Wild Boar are in thousands and pose an anxiety for pig farmers

What's so concerning?

Roadside food bins People actually feeding the Boar Breeching pig units biosecurity







### **ENDEMIC INFECTIONS**



ENDEMIC INFECTIONS very... Examples of UK damaging infections introduced:

- Swine dysentery
- PRRS (blue ear disease)
- Porcine circovirus Type2 (wasting disease)











#### **ENDEMIC INFECTIONS**

Infections always on pig farms and must be prevented:

Erysipelas
Mange
Worms
Endemic/enzootic Pneumonia
Parvovirus





















www.llyw.cymru/cyswlltffermio www.gov.wales/farmingconnect

## Biosecurity



Pigs moved on from known source? Line of separation:

- 1. Vehicles
- 2. Isolate
- 3. Integrate



# Two essential biosecurity actions



- 1. Isolation/quarantine (pigs with different infections)
  - Where
  - Why?
  - For how long?
  - Stockperson observations
- 2. Integration (mixing infection)
  - Sampling for new disease(s)
  - Vaccinations
  - For how long?





















www.llyw.cymru/cyswlltffermio www.gov.wales/farmingconnect

#### Biocontainment



- From young pigs to older pigs
- Pig compartments
- Hygiene
- Vaccinations (not preventive antibiotics)

Hazard	Risk	Grade
Pigs	High	First
Trailer	+- High	Second
Vehicles	High (fallen stock/vet/pig farmer)	Third
Rights of way	+- Low	Fourth
Other animals (species?)	+- Moderate	
Nearest pigs	Depends on distance and direction	



Trailer drop off
Feed delivery
Footpaths?
Nearest pigs?
Feral pigs/wild boar near?











# Finish Thank you / Diolch yn fawr



Any questions arising from this webinar can be directed via Farming Connect Pig Technical Officer @

Dafydd Owen

07985 379903 / dafydd.owen@menterabusnes.co.uk

